



# **AUTOMOTIVE WINDOW FILMS**

High Quality - Cool Performance





www.xsunfilms.com
 sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms



SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

**©** 001 305 608 5976

### **ABOUT US**



**Xsun Window Films** was established in Miami, Florida, USA in 1998. We have been consistently and successfully servicing customers for over 20 years in the USA and worldwide supplying high performance window films with optimal durability and optical clarity.

**Xsun Window Films** are manufactured in the USA using the top quality globally sourced raw materials at the world's topmost & leading, ISO certified, state of the art manufacturing facilities with latest technologies.

**Xsun Window Films** products enhance energy efficiency, comfort, aesthetics, privacy & style. The films protect car paint and provides protection from sun damage & UV rays, reduces heat & glare, provides safety and security thereby meeting the diverse demands of the global marketplace for the best quality window films.

Xsun Window Films product portfolio includes a complete line of Automotive window films, Ceramic IR films, PPF Paint protection films, Architectural-Residential & Commercial Films, Privacy, Decorative, Colored films, Safety & security, Anti-graffiti, Car wrap films and Tint & PPF installation tools & accessories.

**Xsun Window Films** is committed to provide excellent customer service in every interaction.

High Quality - Cool Performance



## **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUCT WARRANTY   |                       |  |
|--|-----------------------|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |
| PP Premium   | VTX IR Ceramic        |  |
| Xsun Window Films warrants professionally sold and installed HP High Performance, GPS, PP, MXP IR, CX IR, VTX IR automotive type window film series against peeling, bubbling, cracking, delamination, demetalization, adhesive failure, excessive change of color*, fading. This warranty coverage is valid so long as original customer owns the car from the date of its original installation.                       |                       |  |
| LIFE TIME PRODUCT WARRANTY   |                       |  |
| XFINITY Performance  | Titanium HP           |  |
| <b>Xsun Window Films</b> warrants professionally sold and installed <b>Xfinity Performance Film Series</b> , <b>Titanium HP Professional Series</b> automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |
| 3 YEARS W  | ARRANTY               |  |

**Xsun Window Films** warrants professionally sold and installed **XG Black Professional Series** automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

XG Black Charcoal

#### **TO MAKE A CLAIM**

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance



# NANO CERAMIC XTREME IR REJECTION FILMS

High Quality - Cool Performance



sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

001 305 608 5976





# **CX IR - CERAMIC XTREME FILMS**

85% IR\* REJECTION FILMS - TRUE BLACK COLOR NON METAL - COLOR STABLE - LIFETIME COLOR WARRANTY

High Quality - Cool Performance





• www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms



SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

001 305 608 5976

## CX IR - CERAMIC XTREME FILMS

- Advanced Nano Ceramic Technology for extreme heat rejection.
- Elegant True Black Color in 5, 15, 20, 30, 40, 50, 60, 70 & 80% Blue vlt.
- Rejects up to 85%± of IR\* infrared heat carrying sun rays.
- Blocks up to 99% of harmful UV rays, preventing overexposure.
- Total solar Energy Rejection (TSER) up to 62%.
- · Optical clear visibility. No hazy or foggy effects.
- . Color Stable & Fade Resistant.
- Ceramic nonmetal, non reflective.
- Clear Communications, Signal-friendly for phone, GPS and other devices.
- Sophisticated style, Oasis like Cooler Interiors, Most Luxurious comforts.
- Reduces Glare, Enhancing visibility & Reducing eyestrain.
- Helps protect interiors from fading.
- Limited lifetime & Color stable warranty.

\* = % Selective IR Rejection (SIRR).

## CX IR - CERAMIC XTREME FILMS

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| CX IR      | IR INFRARED*<br>REJECTION | UV<br>REJECTION | TSER |
|------------|---------------------------|-----------------|------|
| CX IR - 5  | 83%                       | 99%             | 62%  |
| CX IR - 15 | 83%                       | 99%             | 58%  |
| CX IR - 20 | 85%                       | 99%             | 58%  |
| CX IR - 30 | 84%                       | 99%             | 55%  |
| CX IR - 40 | 83%                       | 99%             | 53%  |
| CX IR - 50 | 84%                       | 99%             | 51%  |
| CX IR - 60 | 84%                       | 99%             | 47%  |
| CX IR - 70 | 85%                       | 99%             | 46%  |
| CX IR - 80 | 84%                       | 99%             | 42%  |

\* = % Selective IR Rejection (SIRR).

#### www.xsunfilms.com

#### MADE IN USA



## **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUCT WARRANTY   |                       |  |
|--|-----------------------|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |
| PP Premium   | VTX IR Ceramic        |  |
| Xsun Window Films warrants professionally sold and installed HP High Performance, GPS, PP, MXP IR, CX IR, VTX IR automotive type window film series against peeling, bubbling, cracking, delamination, demetalization, adhesive failure, excessive change of color*, fading. This warranty coverage is valid so long as original customer owns the car from the date of its original installation.                       |                       |  |
| LIFE TIME PRODUCT WARRANTY   |                       |  |
| XFINITY Performance  | Titanium HP           |  |
| <b>Xsun Window Films</b> warrants professionally sold and installed <b>Xfinity Performance Film Series</b> , <b>Titanium HP Professional Series</b> automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |
| 3 YEARS W  | ARRANTY               |  |

**Xsun Window Films** warrants professionally sold and installed **XG Black Professional Series** automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

XG Black Charcoal

#### **TO MAKE A CLAIM**

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance

## **CX IR - 5**

#### **CERAMIC XTREME 83% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 5%  |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 94% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 83% |
| Total Solar Energy Rejected | 62% |

\* = % Selective IR Rejection (SIRR).

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **CX IR - 15**

#### **CERAMIC XTREME 83% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 18% |
| Visible Light Reflectance   | 5%  |
| Glare Reduction             | 80% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 83% |
| Total Solar Energy Rejected | 58% |

\* = % Selective IR Rejection (SIRR).

## High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **CX IR - 20**

#### **CERAMIC XTREME 85% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 24% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 73% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 85% |
| Total Solar Energy Rejected | 58% |

\* = % Selective IR Rejection (SIRR).

## High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **CX IR - 30**

#### **CERAMIC XTREME 84% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 34% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 61% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 84% |
| Total Solar Energy Rejected | 55% |

\* = % Selective IR Rejection (SIRR).

## High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **CX IR - 40**

#### **CERAMIC XTREME 83% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 41% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 53% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 83% |
| Total Solar Energy Rejected | 53% |

\* = % Selective IR Rejection (SIRR).

## High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **CX IR - 50**

#### **CERAMIC XTREME 84% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 51% |
| Visible Light Reflectance   | 7%  |
| Glare Reduction             | 42% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 84% |
| Total Solar Energy Rejected | 51% |

\* = % Selective IR Rejection (SIRR).

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **CX IR - 60**

#### **CERAMIC XTREME 84% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 63% |
| Visible Light Reflectance   | 7%  |
| Glare Reduction             | 28% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 84% |
| Total Solar Energy Rejected | 47% |

\* = % Selective IR Rejection (SIRR).

## High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **CX IR - 70**

#### **CERAMIC XTREME 85% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 71% |
| Visible Light Reflectance   | 8%  |
| Glare Reduction             | 19% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 85% |
| Total Solar Energy Rejected | 46% |

\* = % Selective IR Rejection (SIRR).

## High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **CX IR - 80**

#### **CERAMIC XTREME 84% IR INFRARED\* REJECTION FILMS**

NANO CERAMIC TECHNOLOGY - EXTREME IR INFRARED REJECTION
COLOR STABLE - NON-METAL - SIGNAL FRIENDLY - TRUE BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 78% |
| Visible Light Reflectance   | 8%  |
| Glare Reduction             | 11% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 84% |
| Total Solar Energy Rejected | 42% |

\* = % Selective IR Rejection (SIRR).

## High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



## High Quality - Cool Performance

### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

2 DAY



ALASKA

HAWAII





#### WORLDWIDE DELIVERY **BUSINESS DAYS IN TRANSIT**

I DAY 2 DAY 3 to 4 DAYS 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 001 305 608 5976



## **MXP IR - CERAMIC CARBON**

75% IR\* REJECTION FILMS - RICH BLACK COLOR
NON METAL - LIFETIME & COLOR STABLE WARRANTY

High Quality - Cool Performance



www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms

SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

**©** 001 305 608 5976

## **MXP IR - CERAMIC CARBON**

- Advanced Ceramic-Carbon Technology for Max Heat Rejection.
- Rich Black Color in 5, 18, 25, 35, 45, 55, 70 & 80% vlt.
- Rejects up to 75%± of (IR)\* infrared Heat.
- Blocks up to 99% of harmful UV rays, preventing overexposure.
- Total Solar Energy Rejection (TSER) up to 60%.
- Color Stable & Fade Resistant.
- Ceramic Carbon, nonmetal, non reflective.
- Clear Communications, Signal-friendly for phone, GPS and other devices.
- Optically Clear visibility, No hazy or foggy effects.
- Sophisticated style, Cooler Interiors, Luxurious comforts.
- Reduces Glare, Enhancing visibility & Reducing eyestrain.
- Helps protect interiors from fading.
- Limited lifetime & Color stable warranty.

\* = % Selective IR Rejection (SIRR).

## **MXP IR - CERAMIC CARBON**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| MXP IR      | IR INFRARED*<br>REJECTION | UV<br>REJECTION | TSER |
|-------------|---------------------------|-----------------|------|
| MXP IR - 5  | 77%                       | 99%             | 60%  |
| MXP IR - 18 | <b>73</b> %               | 99%             | 55%  |
| MXP IR - 25 | <b>70</b> %               | 99%             | 52%  |
| MXP IR - 35 | <b>79</b> %               | 99%             | 53%  |
| MXP IR - 45 | <b>76</b> %               | 99%             | 50%  |
| MXP IR - 55 | 66%                       | 99%             | 42%  |
| MXP IR - 70 | <b>79</b> %               | 99%             | 44%  |
| MXP IR - 80 | 74%                       | 99%             | 40%  |

\* = % Selective IR Rejection (SIRR).

### www.xsunfilms.com

#### MADE IN USA



### **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
|--|-----------------------|--|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon |  |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |  |
| PP Premium   |                       |  |  |
| Xsun Window Films warrants professionally sold and installed HP High Performance, GPS, PP, MXP IR, CX IR, VTX IR automotive type window film series against peeling, bubbling, cracking, delamination, demetalization, adhesive failure, excessive change of color*, fading. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |
| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
|  | Titanium HP           |  |  |
| Xsun Window Films warrants professionally sold and installed Xfinity Performance Film Series, Titanium HP Professional Series automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |

#### **3 YEARS WARRANTY**

XG Black Charcoal

Xsun Window Films warrants professionally sold and installed XG Black Professional Series automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

#### **TO MAKE A CLAIM**

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance

## **MXP IR - 5**

#### **CERAMIC CARBON 77% IR\* INFRARED REJECTION FILMS**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL
MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5         |
|-----------------------------|-------------|
| Ply                         | 2           |
| Visible Light Transmittance | 5%          |
| Visible Light Reflectance   | 5%          |
| Glare Reduction             | 94%         |
| UV Rejection                | 99%         |
| INFRARED (IR) REJECTION*    | <b>77</b> % |
| Total Solar Energy Rejected | 60%         |

\* = % Selective IR Rejection (SIRR).

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **MXP IR - 18**

#### **CERAMIC CARBON 73% IR\* INFRARED REJECTION FILMS**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL
MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 17% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 81% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 73% |
| Total Solar Energy Rejected | 55% |

\* = % Selective IR Rejection (SIRR).

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **MXP IR - 25**

#### **CERAMIC CARBON 70% IR\* INFRARED REJECTION FILMS**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL
MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5         |
|-----------------------------|-------------|
| Ply                         | 2           |
| Visible Light Transmittance | 23%         |
| Visible Light Reflectance   | 6%          |
| Glare Reduction             | 74%         |
| UV Rejection                | 99%         |
| INFRARED (IR) REJECTION*    | <b>70</b> % |
| Total Solar Energy Rejected | 52%         |

\* = % Selective IR Rejection (SIRR).

### High Quality - Cool Performance www.xsunfilms.com

#### MADE IN USA

## **MXP IR - 35**

#### **CERAMIC CARBON 79% IR\* INFRARED REJECTION FILMS**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL
MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5         |
|-----------------------------|-------------|
| Ply                         | 2           |
| Visible Light Transmittance | 33%         |
| Visible Light Reflectance   | 6%          |
| Glare Reduction             | 63%         |
| UV Rejection                | 99%         |
| INFRARED (IR) REJECTION*    | <b>79</b> % |
| Total Solar Energy Rejected | 53%         |

\* = % Selective IR Rejection (SIRR).

### High Quality - Cool Performance www.xsunfilms.com

#### MADE IN USA

## **MXP IR - 45**

#### **CERAMIC CARBON 76% IR\* INFRARED REJECTION FILMS**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL
MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5         |
|-----------------------------|-------------|
| Ply                         | 2           |
| Visible Light Transmittance | 41%         |
| Visible Light Reflectance   | 6%          |
| Glare Reduction             | 53%         |
| UV Rejection                | 99%         |
| INFRARED (IR) REJECTION*    | <b>76</b> % |
| Total Solar Energy Rejected | 50%         |

\* = % Selective IR Rejection (SIRR).

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **MXP IR - 55**

#### **CERAMIC CARBON 66% IR\* INFRARED REJECTION FILMS**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL
MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 54% |
| Visible Light Reflectance   | 7%  |
| Glare Reduction             | 39% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 66% |
| Total Solar Energy Rejected | 42% |

\* = % Selective IR Rejection (SIRR).

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **MXP IR - 70**

#### **CERAMIC CARBON 79% IR\* INFRARED REJECTION FILMS**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL
MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5         |
|-----------------------------|-------------|
| Ply                         | 2           |
| Visible Light Transmittance | 63%         |
| Visible Light Reflectance   | 8%          |
| Glare Reduction             | 28%         |
| UV Rejection                | 99%         |
| INFRARED (IR) REJECTION*    | <b>79</b> % |
| Total Solar Energy Rejected | 44%         |

\* = % Selective IR Rejection (SIRR).

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **MXP IR - 80**

#### **CERAMIC CARBON 74% IR\* INFRARED REJECTION FILMS**

ADVANCED CERAMIC CARBON TECHNOLOGY - COLOR STABLE - NON METAL
MAX IR INFRARED & HEAT REJECTION - SIGNAL FRIENDLY - RICH BLACK COLOR
PS SCRATCH RESISTANT - LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 75% |
| Visible Light Reflectance   | 9%  |
| Glare Reduction             | 15% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 74% |
| Total Solar Energy Rejected | 40% |

\* = % Selective IR Rejection (SIRR).

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



## High Quality - Cool Performance

### **DELIVERY IN USA**

**BUSINESS DAYS IN TRANSIT** 

1 DA

2 DAY



ALASKA

HAWAII





## WORLDWIDE DELIVERY BUSINESS DAYS IN TRANSIT

■ 1 DAY ■ 2 DAY ■ 3 to 4 DAYS ■ 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES

#### SHOP ONLINE

www.xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 0 001 305 608 5976



## **HP - HIGH PERFORMANCE FILMS**

PREMIUM DEEP DYED / METALLIZED FILMS - CHARCOAL BLACK LIFETIME & COLOR WARRANTY

High Quality - Cool Performance



• www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms

SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

**9** 001 305 608 5976

## **HP - HIGH PERFORMANCE**

- Premium Deep Dyed / Metallized Films 1.5 mil 2 PLY.
- Reliable quality and durable Performance.
- Charcoal Black color in 5, 15, 20, 30, 35, 39, 50, 60 & 70%.
- · High Heat Rejection.
- Blocks up to 99% ± of harmful UV rays, preventing overexposure.
- Total Solar Energy Rejection (TSER) up to 54%.
- Optically Clear visibility. No hazy or foggy effects.
- Clear Communications, Signal-friendly for phone, GPS and other devices.
- . Elegant style, Cooler Interiors, Luxurious comforts.
- Reduces Glare, Enhancing visibility & Reducing evestrain.
- Helps protect interiors from fading.
- Limited lifetime & color warranty.

\* = % Selective IR Rejection (SIRR).

## **HP - HIGH PERFORMANCE**

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| HP CHARCOAL | 5  | 1.5MIL   2PLY | PS SRC |
|-------------|----|---------------|--------|
| HP CHARCOAL | 15 | 1.5MIL   2PLY | PS SRC |
| HP CHARCOAL | 20 | 1.5MIL   2PLY | PS SRC |
| HP CHARCOAL | 30 | 1.5MIL   2PLY | PS SRC |
| HP CHARCOAL | 35 | 1.5MIL   2PLY | PS SRC |
| HP CHARCOAL | 39 | 1.5MIL   2PLY | PS SRC |
| HP CHARCOAL | 50 | 1.5MIL   2PLY | PS SRC |
| HP CHARCOAL | 60 | 1.5MIL   2PLY | PS SRC |
| HP CHARCOAL | 70 | 1.5MIL   2PLY | PS SRC |
| HP BRONZE   | 20 | 1.5MIL   2PLY | PS SRC |
| HP BRONZE   | 35 | 1.5MIL   2PLY | PS SRC |
| HP BLUE     | 35 | 1.5MIL   2PLY | PS SRC |
| HP BLUE     | 50 | 1.5MIL   2PLY | PS SRC |

### High Quality - Cool Performance www.xsunfilms.com

### MADE IN USA



### **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
|--|-----------------------|--|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon |  |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |  |
| PP Premium   |                       |  |  |
| Xsun Window Films warrants professionally sold and installed HP High Performance, GPS, PP, MXP IR, CX IR, VTX IR automotive type window film series against peeling, bubbling, cracking, delamination, demetalization, adhesive failure, excessive change of color*, fading. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |
| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
| ☐ XFINITY Performance  | Titanium HP           |  |  |
| Xsun Window Films warrants professionally sold and installed Xfinity Performance Film Series, Titanium HP Professional Series automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple, This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |

3 YEARS WARRANTY

XG Black Charcoal

Xsun Window Films warrants professionally sold and installed XG Black Professional Series automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

#### TO MAKE A CLAIM

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance

## HIGH PERFORMANCE HP CHARCOAL - 5

WINDOW

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 3%     |
| Visible Light Reflectance   | 5%     |
| Glare Reduction             | 97%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 54%    |

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## HIGH PERFORMANCE HP CHARCOAL - 15

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 14%    |
| Visible Light Reflectance   | 5%     |
| Glare Reduction             | 84%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 50%    |

#### High Quality - Cool Performance www.xsunfilms.com MADE IN USA

## HIGH PERFORMANCE HP CHARCOAL - 20

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 22%    |
| Visible Light Reflectance   | 6%     |
| Glare Reduction             | 75%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 49%    |

#### High Quality - Cool Performance www.xsunfilms.com MADE IN USA

## HIGH PERFORMANCE HP CHARCOAL - 30

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 31%    |
| Visible Light Reflectance   | 6%     |
| Glare Reduction             | 65%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 45%    |

#### High Quality - Cool Performance www.xsunfilms.com MADE IN USA

## HIGH PERFORMANCE HP CHARCOAL - 35

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 36%    |
| Visible Light Reflectance   | 7%     |
| Glare Reduction             | 58%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 43%    |

#### High Quality - Cool Performance www.xsunfilms.com MADE IN USA

## HIGH PERFORMANCE HP CHARCOAL - 39

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 41%    |
| Visible Light Reflectance   | 7%     |
| Glare Reduction             | 53%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 42%    |

#### High Quality - Cool Performance www.xsunfilms.com MADE IN USA

## HIGH PERFORMANCE HP CHARCOAL - 50

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 52%    |
| Visible Light Reflectance   | 8%     |
| Glare Reduction             | 41%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 38%    |

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## HIGH PERFORMANCE HP CHARCOAL - 60

PREMIUM DEEP DYED / METALLIZED FILM - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 60%    |
| Visible Light Reflectance   | 8%     |
| Glare Reduction             | 32%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 31%    |

### High Quality - Cool Performance www.xsunfilms.com

## HIGH PERFORMANCE HP CHARCOAL - 70

PREMIUM DEEP DYED / COLOR STABLE - CHARCOAL BLACK COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 67%    |
| Visible Light Reflectance   | 8%     |
| Glare Reduction             | 24%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 27%    |

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## HIGH PERFORMANCE HP BRONZE - 20

PREMIUM DEEP DYED / METALLIZED FILM - BRONZE COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 15%    |
| Visible Light Reflectance   | 5%     |
| Glare Reduction             | 83%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 49%    |

#### High Quality - Cool Performance www.xsunfilms.com MADE IN USA

## HIGH PERFORMANCE HP BRONZE - 35

PPREMIUM DEEP DYED / METALLIZED FILM - BRONZE COLOR SIGNAL FRIENDLY - HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 42%    |
| Visible Light Reflectance   | 7%     |
| Glare Reduction             | 52%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 41%    |

### High Quality - Cool Performance www.xsunfilms.com



## HIGH PERFORMANCE HP BLUE - 35

PREMIUM DEEP DYED / METALLIZED FILM - BLUE COLOR ENHANCE THE APPEARANCE OF THE GLASS - HEAT REJECTION SIGNAL FRIENDLY - PS SCRATCH RESISTANT - LIFETIME WARRANTY

| Thickness (Mil)             | 1.5    |
|-----------------------------|--------|
| Ply                         | 2      |
| Visible Light Transmittance | 40%    |
| Visible Light Reflectance   | 9%     |
| Glare Reduction             | 58%    |
| UV Rejection                | 99% ±1 |
| Total Solar Energy Rejected | 42%    |

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



### High Quality - Cool Performance

### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

2 DAY



ALASKA

HAWAII





#### WORLDWIDE DELIVERY **BUSINESS DAYS IN TRANSIT**

IDAY 2 DAY 3 to 4 DAYS 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 001 305 608 5976



# **XFINITY PERFORMANCE - XP**

PREMIUM DEEP DYED FILMS - 1.5 MIL - NON METAL - BLACK CHARCOAL SIGNAL FRIENDLY - LIFETIME & COLOR WARRANTY

High Quality - Cool Performance



www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms

SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

**9** 001 305 608 5976

### **XFINITY PERFORMANCE - XP**

- Premium Deep Dyed technology Non metal 1.5 mil.
- Black Charcoal Color in 5, 15, 20, 35, 40, 50 & 85%.
- Dark appearance adding privacy & Highlighting style.
- Nonmetal, Non reflective.
- Outstanding Heat Rejection.
- Blocks up to 99% of harmful UV rays, preventing overexposure.
- Total Solar Energy Rejection (TSER) up to 44%.
- · Clear Communications, Signal-friendly for phone, GPS, and other devices.
- Optically Clear visibility. No hazy or foggy effects.
- Sophisticated style, Cooler Interiors, Luxurious comforts.
- Reduces Glare, Enhancing visibility & Reducing eyestrain.
- Helps protect interiors from fading.
- Limited lifetime & no color purple warranty.

www.xsunfilms.com



### **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUCT WARRANTY   |                       |  |
|--|-----------------------|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |
| PP Premium   | VTX IR Ceramic        |  |
| Xsun Window Films warrants professionally sold and installed HP High Performance, GPS, PP, MXP IR, CX IR, VTX IR automotive type window film series against peeling, bubbling, cracking, delamination, demetalization, adhesive failure, excessive change of color*, fading. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |
| LIFE TIME PRODUCT WARRANTY   |                       |  |
| ☐ XFINITY Performance  | Titanium HP           |  |
| Xsun Window Films warrants professionally sold and installed Xfinity Performance Film Series, Titanium HP Professional Series automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |

Xsun Window Films warrants professionally sold and installed XG Black Professional Series automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

3 YEARS WARRANTY

XG Black Charcoal

#### TO MAKE A CLAIM

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance

## **XFINITY PERFORMANCE**

PREMIUM DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - OUTSTANDING HEAT REJECTION PS SCRATCH RESISTANT - LIFETIME & COLOR WARRANTY

| XFINITY PERFORMANCE - XP | 5  | 1.5 MIL   2 PLY |
|--------------------------|----|-----------------|
| XFINITY PERFORMANCE - XP | 15 | 1.5 MIL   2 PLY |
| XFINITY PERFORMANCE - XP | 20 | 1.5 MIL   2 PLY |
| XFINITY PERFORMANCE - XP | 35 | 1.5 MIL   2 PLY |
| XFINITY PERFORMANCE - XP | 40 | 1.5 MIL   2 PLY |
| XFINITY PERFORMANCE - XP | 50 | 1.5 MIL   2 PLY |
| XFINITY PERFORMANCE - XP | 80 | 1.5 MIL   2 PLY |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

# **XFINITY PERFORMANCE - XP 5**

### NON METAL - 1.5MIL | 2PLY

PREMIUM DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - OUTSTANDING HEAT REJECTION PS SCRATCH RESISTANT - LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5   |
|-----------------------------|-------|
| Ply                         | 2     |
| Visible Light Transmittance | 4%    |
| Visible Light Reflectance   | 5%    |
| Glare Reduction             | 95%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 44%   |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **XFINITY PERFORMANCE - XP 15**

NON METAL - 1.5MIL | 2PLY

PREMIUM DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - OUTSTANDING HEAT REJECTION PS SCRATCH RESISTANT - LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5   |
|-----------------------------|-------|
| Ply                         | 2     |
| Visible Light Transmittance | 14%   |
| Visible Light Reflectance   | 5%    |
| Glare Reduction             | 84%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 41%   |

### High Quality - Cool Performance www.xsunfilms.com

# **XFINITY PERFORMANCE - XP 20**

NON METAL - 1.5MIL | 2PLY

PREMIUM DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - OUTSTANDING HEAT REJECTION PS SCRATCH RESISTANT - LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5   |
|-----------------------------|-------|
| Ply                         | 2     |
| Visible Light Transmittance | 19%   |
| Visible Light Reflectance   | 6%    |
| Glare Reduction             | 78%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 39%   |

### High Quality - Cool Performance www.xsunfilms.com

## **XFINITY PERFORMANCE - XP 35**

NON METAL - 1.5MIL | 2PLY

PREMIUM DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - OUTSTANDING HEAT REJECTION PS SCRATCH RESISTANT - LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5   |
|-----------------------------|-------|
| Ply                         | 2     |
| Visible Light Transmittance | 32%   |
| Visible Light Reflectance   | 6%    |
| Glare Reduction             | 64%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 36%   |

### High Quality - Cool Performance www.xsunfilms.com

## **XFINITY PERFORMANCE - XP 40**

NON METAL - 1.5MIL | 2PLY

PREMIUM DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - OUTSTANDING HEAT REJECTION PS SCRATCH RESISTANT - LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5   |
|-----------------------------|-------|
| Ply                         | 2     |
| Visible Light Transmittance | 39%   |
| Visible Light Reflectance   | 6%    |
| Glare Reduction             | 56%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 34%   |

### High Quality - Cool Performance www.xsunfilms.com

## **XFINITY PERFORMANCE - XP 50**

NON METAL - 1.5MIL | 2PLY

PREMIUM DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - OUTSTANDING HEAT REJECTION PS SCRATCH RESISTANT - LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5   |
|-----------------------------|-------|
| Ply                         | 2     |
| Visible Light Transmittance | 57%   |
| Visible Light Reflectance   | 7%    |
| Glare Reduction             | 35%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 28%   |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



### High Quality - Cool Performance

### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

2 DAY



ALASKA

HAWAII





#### WORLDWIDE DELIVERY **BUSINESS DAYS IN TRANSIT**

I DAY 2 DAY 3 to 4 DAYS 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

Fax: 001 305 418 9827 001 305 608 5976



# **GPS CARBON**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE FILMS - SIGNAL FRIENDLY NON METAL - BLACK COLOR - LIFETIME & COLOR STABLE WARRANTY

# High Quality - Cool Performance



www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms

SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

**©** 001 305 608 5976

### **GPS CARBON COLOR STABLE**

- Advanced Carbon technology.
- Black Color in 5, 18, 25, 35, 38, 45, 55, 70 & 85% vlt.
- Color Stable & Fade Resistant.
- Nonmetal, Non reflective 1.5 MIL thick.
- Outstanding Heat Rejection.
- Blocks up to 99% of harmful UV rays, preventing overexposure.
- Total Solar Energy Rejection (TSER) up to 46%.
- Clear Communications, Signal-friendly for GPS, Phone and other devices.
- Optically Clear visibility, No hazy or foggy effects.
- Elegant style, Cooler Interiors, Luxurious comforts.
- Reduces Glare, Enhancing visibility & Reducing eyestrain.
- Helps protect interiors from fading.
- . Limited lifetime & Color stable warranty.

www.xsunfilms.com

MADE IN USA



## **GPS CARBON COLOR STABLE**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY
NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT
LIFETIME & COLOR STABLE WARRANTY

| GPS CARBON | 5  | 1.5MIL   2PLY          | PS SRC |
|------------|----|------------------------|--------|
| GPS CARBON | 18 | 1.5M <b>I</b> L   2PLY | PS SRC |
| GPS CARBON | 25 | 1.5MIL   2PLY          | PS SRC |
| GPS CARBON | 35 | 1.5M <b>I</b> L   2PLY | PS SRC |
| GPS CARBON | 38 | 1.5MIL   2PLY          | PS SRC |
| GPS CARBON | 45 | 1.5M <b>I</b> L   2PLY | PS SRC |
| GPS CARBON | 55 | 1.5MIL   2PLY          | PS SRC |
| GPS CARBON | 70 | 1.5MIL   2PLY          | PS SRC |
| GPS CARBON | 85 | 1.5M <b>I</b> L   2PLY | PS SRC |

### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



### **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
|--|-----------------------|--|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon |  |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |  |
| PP Premium   |                       |  |  |
| Xsun Window Films warrants professionally sold and installed HP High Performance, GPS, PP, MXP IR, CX IR, VTX IR automotive type window film series against peeling, bubbling, cracking, delamination, demetalization, adhesive failure, excessive change of color*, fading. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |
| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
| ☐ XFINITY Performance  | Titanium HP           |  |  |
| Xsun Window Films warrants professionally sold and installed Xfinity Performance Film Series, Titanium HP Professional Series automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |

#### **3 YEARS WARRANTY**

XG Black Charcoal

Xsun Window Films warrants professionally sold and installed XG Black Professional Series automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

#### **TO MAKE A CLAIM**

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance

### **GPS CARBON - 5**

#### **NON METAL COLOR STABLE FILMS**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY
NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT
LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)       |          | 1.5 |
|-----------------------|----------|-----|
| Ply                   |          | 2   |
| Visible Light Transm  | nittance | 5%  |
| Visible Light Reflect | ance     | 5%  |
| Glare Reduction       |          | 94% |
| UV Rejection          |          | 99% |
| Total Solar Energy F  | Rejected | 46% |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### **GPS CARBON - 18**

#### **NON METAL COLOR STABLE FILMS**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 18% |
| Visible Light Reflectance   | 5%  |
| Glare Reduction             | 80% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 44% |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### **GPS CARBON - 25**

#### **NON METAL COLOR STABLE FILMS**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 25% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 72% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 40% |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### **GPS CARBON - 35**

#### **NON METAL COLOR STABLE FILMS**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 36% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 59% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 38% |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### **GPS CARBON - 38**

#### **NON METAL COLOR STABLE FILMS**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 38% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 57% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 37% |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### **GPS CARBON - 45**

#### **NON METAL COLOR STABLE FILMS**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY
NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT
LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 44% |
| Visible Light Reflectance   | 7%  |
| Glare Reduction             | 50% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 34% |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### **GPS CARBON - 55**

#### **NON METAL COLOR STABLE FILMS**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY
NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT
LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 55% |
| Visible Light Reflectance   | 7%  |
| Glare Reduction             | 38% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 31% |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### **GPS CARBON - 70**

#### **NON METAL COLOR STABLE FILMS**

ADVANCED CARBON TECHNOLOGY - COLOR STABLE - SIGNAL FRIENDLY NON-METAL - BLACK COLOR - PS SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 67% |
| Visible Light Reflectance   | 8%  |
| Glare Reduction             | 24% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 27% |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



### High Quality - Cool Performance

#### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

1 DA

2 DAY



ALASKA

HAWAII





### WORLDWIDE DELIVERY BUSINESS DAYS IN TRANSIT

■ 1 DAY ■ 2 DAY ■ 3 to 4 DAYS ■ 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 001 305 608 5976



# **XG BLACK**

**DEEP DYED FILMS - NON METAL** SIGNAL FRINDLY - 3 YEARS WARRANTY

High Quality - Cool Performance



• www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms

SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

© 001 305 608 5976

### **XG BLACK DEEP DYED FILMS**

- Deep Dyed technology Nonmetal 1 Mil 1 Ply.
- Black Charcoal Color in 5, 10, 20, 30, 44 & 50%.
- Dark appearance adding privacy & Highlighting style.
- Nonmetal. Non reflective.
- Good heat Rejection.
- Blocks up to 99% of harmful UV rays, preventing overexposure.
- Total Solar Energy Rejection (TSER) up to 44%.
- · Clear Communications, Signal-friendly for phone, GPS, and other devices.
- Optically Clear visibility. No hazy or foggy effects.
- Sophisticated style, Cooler Interiors, Luxurious comforts.
- Reduces Glare, Enhancing visibility & Reducing eyestrain.
- Helps protect interiors from fading.
- Limited 3-year warranty.

#### www.xsunfilms.com



#### **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
|--|-----------------------|--|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon |  |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |  |
| PP Premium   |                       |  |  |
| Xsun Window Films warrants professionally sold and installed HP High Performance, GPS, PP, MXP IR, CX IR, VTX IR automotive type window film series against peeling, bubbling, cracking, delamination, demetalization, adhesive failure, excessive change of color*, fading. This warranty coverage is valid so long as original customer owns the car from the date of its original installation.                       |                       |  |  |
| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
|  | Titanium HP           |  |  |
| <b>Xsun Window Films</b> warrants professionally sold and installed <b>Xfinity Performance Film Series</b> , <b>Titanium HP Professional Series</b> automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |

Xsun Window Films warrants professionally sold and installed XG Black Professional Series automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

3 YEARS WARRANTY

XG Black Charcoal

#### TO MAKE A CLAIM

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance



# **XG BLACK**

DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL - SIGNAL FRIENDLY GOOD HEAT REJECTION - PS SCRATCH RESISTANT - 3 YEAR WARRANTY

| XG BLACK | 05 | 1 MIL   1PLY | PS SRC |
|----------|----|--------------|--------|
| XG BLACK | 10 | 1 MIL   1PLY | PS SRC |
| XG BLACK | 20 | 1 MIL   1PLY | PS SRC |
| XG BLACK | 35 | 1 MIL   1PLY | PS SRC |
| XG BLACK | 44 | 1 MIL   1PLY | PS SRC |
| XG BLACK | 50 | 1 MIL   1PLY | PS SRC |

#### High Quality - Cool Performance www.xsunfilms.com MADE IN USA

# XG BLACK - 5

#### **DEEP DYED NON METAL FILMS**

DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - GOOD HEAT REJECTION - PS SCRATCH RESISTANT 3 YEAR WARRANTY

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 5%  |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 94% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 44% |

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

# **XG BLACK - 10**

#### **DEEP DYED NON METAL FILMS**

DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - GOOD HEAT REJECTION - PS SCRATCH RESISTANT 3 YEAR WARRANTY

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 12% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 87% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 42% |

### High Quality - Cool Performance www.xsunfilms.com

# **XG BLACK - 20**

#### **DEEP DYED NON METAL FILMS**

DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - GOOD HEAT REJECTION - PS SCRATCH RESISTANT 3 YEAR WARRANTY

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 20% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 77% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 40% |

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

# **XG BLACK - 35**

#### **DEEP DYED NON METAL FILMS**

DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - GOOD HEAT REJECTION - PS SCRATCH RESISTANT 3 YEAR WARRANTY

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 35% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 60% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 36% |

### High Quality - Cool Performance www.xsunfilms.com

# **XG BLACK - 44**

#### **DEEP DYED NON METAL FILMS**

DEEP DYED TECHNOLOGY - NON REFLECTIVE - BLACK CHARCOAL SIGNAL FRIENDLY - GOOD HEAT REJECTION - PS SCRATCH RESISTANT 3 YEAR WARRANTY

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 44% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 54% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 29% |

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



### High Quality - Cool Performance

#### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

2 DAY



ALASKA

HAWAII





#### WORLDWIDE DELIVERY **BUSINESS DAYS IN TRANSIT**

IDAY 2 DAY 3 to 4 DAYS 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 001 305 608 5976



# **PP - PREMIUM PERFORMANCE**

ALL SPUTTERED NICHROME METAL - HIGH HEAT REJECTION NEUTRAL COLOR - LIFETIME & COLOR STABLE WARRANTY







3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms



SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

**©** 001 305 608 <u>5976</u>

### PP - PREMIUM PERFORMANCE

- Sputtered Nichrome technology all metal films.
- Neutral Color in 10, 20, 35, 50, 65 & 70% vlt.
- Spectacular style and long-lasting performance.
- Neutral color reflective exterior and non distracting neutral interior appearance.
- Superior Heat Rejection.
- Blocks up to 99% of the harmful UV rays, preventing over exposure.
- Total solar Energy Rejection (TSER) up to 64%.
- Color Stable and fade resistant.
- Reduces Glare, Enhancing visibility & reducing eyestrain.
- Helps protect interiors from fading.
- Limited lifetime and Color stable warranty.

www.xsunfilms.com



### **PP - PREMIUM PERFORMANCE**

SPUTTERED NICHROME TECHNOLOGY - ALL METAL FILMS
HIGH HEAT REJECTION - NEUTRAL COLOR - PS - SCRATCH RESISTANT
LIFETIME & COLOR STABLE WARRANTY

| PP - PREMIUM | 10 | 1.5 MIL   2 PLY | PS - SRC |
|--------------|----|-----------------|----------|
| PP - PREMIUM | 20 | 1.5 MIL   2 PLY | PS - SRC |
| PP - PREMIUM | 35 | 1.5 MIL   2 PLY | PS - SRC |
| PP - PREMIUM | 50 | 1.5 MIL   2 PLY | PS - SRC |
| PP - PREMIUM | 70 | 1.5 MIL   2 PLY | PS - SRC |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



#### **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUC   | Γ WARRANTY            |  |  |
|--|-----------------------|--|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon |  |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |  |
| PP Premium   |                       |  |  |
| Xsun Window Films warrants professionally sold and installed HP High Performance, GPS, PP, MXP IR, CX IR, VTX IR automotive type window film series against peeling, bubbling, cracking, delamination, demetalization, adhesive failure, excessive change of color*, fading. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |
| LIFE TIME PRODUCT WARRANTY   |                       |  |  |
| □ XFINITY Performance  | Titanium HP           |  |  |
| Xsun Window Films warrants professionally sold and installed Xfinity Performance Film Series, Titanium HP Professional Series automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |                       |  |  |

#### **3 YEARS WARRANTY**

XG Black Charcoal

Xsun Window Films warrants professionally sold and installed XG Black Professional Series automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

#### **TO MAKE A CLAIM**

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance

### PREMIUM PERFORMANCE PP - 10

#### **ALL SPUTTERED METAL FILMS**

SPUTTERED NICHROME TECHNOLOGY - HIGH HEAT REJECTION NEUTRAL COLOR - PS - SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 16% |
| Visible Light Reflectance   | 18% |
| Glare Reduction             | 82% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 64% |

### High Quality - Cool Performance www.xsunfilms.com

### PREMIUM PERFORMANCE PP - 20

#### **ALL SPUTTERED METAL FILMS**

SPUTTERED NICHROME TECHNOLOGY - HIGH HEAT REJECTION NEUTRAL COLOR - PS - SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 25% |
| Visible Light Reflectance   | 15% |
| Glare Reduction             | 72% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 58% |

### High Quality - Cool Performance www.xsunfilms.com

### PREMIUM PERFORMANCE PP - 35

#### **ALL SPUTTERED METAL FILMS**

SPUTTERED NICHROME TECHNOLOGY - HIGH HEAT REJECTION NEUTRAL COLOR - PS - SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 33% |
| Visible Light Reflectance   | 16% |
| Glare Reduction             | 63% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 52% |

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### PREMIUM PERFORMANCE PP - 50

#### **ALL SPUTTERED METAL FILMS**

SPUTTERED NICHROME TECHNOLOGY - HIGH HEAT REJECTION NEUTRAL COLOR - PS - SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 59% |
| Visible Light Reflectance   | 11% |
| Glare Reduction             | 33% |
| UV Rejection                | 98% |
| Total Solar Energy Rejected | 37% |

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

### **PREMIUM PERFORMANCE PP - 70**

#### **ALL SPUTTERED METAL FILMS**

SPUTTERED NICHROME TECHNOLOGY - HIGH HEAT REJECTION NEUTRAL COLOR - PS - SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 64% |
| Visible Light Reflectance   | 9%  |
| Glare Reduction             | 30% |
| UV Rejection                | 98% |
| Total Solar Energy Rejected | 33% |

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



### High Quality - Cool Performance

#### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

2 DAY



ALASKA

HAWAII





#### WORLDWIDE DELIVERY **BUSINESS DAYS IN TRANSIT**



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 001 305 608 5976





### **TITANIUM**

68% IR\* REJECTION FILMS - BLACK COLOR METALLIZED / DYED FILMS - LIFETIME WARRANTY

High Quality - Cool Performance





www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA





SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

© 001 305 608 5976



### **TITANIUM**

- Metallized Dyed Films 1.5 mil 2 PLY.
- Black color in 3, 10, 20, 30 vlt.
- Rejects up to 69%± of IR\* infrared heat carrying sun rays.
- . High Heat Rejection.
- Blocks up to 99% ± of harmful UV rays, preventing overexposure.
- Total Solar Energy Rejection (TSER) up to 60%.
- Optically Clear visibility. No hazy or foggy effects.
- Clear Communications, Signal-friendly for phone, GPS, and other devices.
- Elegant style, Cooler Interiors, Luxurious comforts.
- Reduces Glare, Enhancing visibility & Reducing eyestrain.
- Helps protect interiors from fading.
- Limited lifetime & color warranty.

\* = % Selective IR Rejection (SIRR).



### **TITANIUM**

METALLIZED DYED FILM - BLACK COLOR - SIGNAL FRIENDLY - HIGH HEAT REJECTION
PS SCRATCH RESISTANT - LIFETIME & COLOR WARRANTY

|               | IR INFRARED*<br>REJECTION | UV<br>REJECTION | TSER |
|---------------|---------------------------|-----------------|------|
| TITANIUM - 3  | 66%                       | 99%             | 60%  |
| TITANIUM - 10 | 67%                       | 99%             | 59%  |
| TITANIUM - 20 | 69%                       | 99%             | 58%  |
| TITANIUM - 30 | 68%                       | 99%             | 57%  |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



#### **AUTOMOTIVE FILMS LIMITED WARRANTY**

| LIFE TIME PRODUCT WARRANTY   |   |  |  |
|--|---|--|--|
| ☐ HP* High Performance   | MXP IR Ceramic Carbon   |  |  |
| GPS CARBON   | CX IR Ceramic Xtreme  |  |  |
| PP Premium   |   |  |  |
| Xsun Window Films warrants professionally sold and MXP IR, CX IR, VTX IR automotive type window film delamination, demetalization, adhesive failure, excessi coverage is valid so long as original customer owns the   | series against peeling, bubbling, cracking, ive change of color*, fading. This warranty |  |  |
| LIFE TIME PRODUCT  | Γ WARRANTY  |  |  |
| ☐ XFINITY Performance  | Titanium HP   |  |  |
| Xsun Window Films warrants professionally sold and installed Xfinity Performance Film Series, Titanium HP Professional Series automotive type window film against peeling, bubbling, cracking, delamination, demetalization, adhesive failure and change of color to purple. This warranty coverage is valid so long as original customer owns the car from the date of its original installation. |   |  |  |

#### 3 YEARS WARRANTY

XG Black Charcoal

Xsun Window Films warrants professionally sold and installed XG Black Professional Series automotive type window for three (3) years against peeling, cracking, delamination and adhesive failure. This warranty coverage is valid for three (3) years from the date of its original installation.

#### **TO MAKE A CLAIM**

In the unlikely event film fails to comply under recommended use with in warranty period. The Film would be replaced including installation. Xsun Window Films reserve the right to inspect film failure.

High Quality - Cool Performance



### **TITANIUM IR - 3**

#### **METALLIZED / DYED 66% IR\* INFRARED REJECTIONS FILMS**

METALLIZED DYED FILM - BLACK COLOR - SIGNAL FRIENDLY HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5              |
|-----------------------------|------------------|
| Ply                         | 2                |
| Visible Light Transmittance | 3%               |
| Visible Light Reflectance   | INT: 8% EXT: 20% |
| Glare Reduction             | 96%              |
| UV Rejection                | 99%              |
| INFRARED (IR) REJECTION     | N* 66%           |
| Total Solar Energy Rejected | 60%              |

\* = % Selective IR Rejection (SIRR).

High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



# **TITANIUM IR - 10**

#### **METALLIZED / DYED 67% IR\* INFRARED REJECTIONS FILMS**

METALLIZED DYED FILM - BLACK COLOR - SIGNAL FRIENDLY HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5              |
|-----------------------------|------------------|
| Ply                         | 2                |
| Visible Light Transmittance | 12%              |
| Visible Light Reflectance   | INT: 8% EXT: 15% |
| Glare Reduction             | 86%              |
| UV Rejection                | 99%              |
| INFRARED (IR) REJECTION     | N* 67%           |
| Total Solar Energy Rejected | 59%              |

\* = % Selective IR Rejection (SIRR).

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



# **TITANIUM IR - 20**

#### **METALLIZED / DYED 69% IR\* INFRARED REJECTIONS FILMS**

METALLIZED DYED FILM - BLACK COLOR - SIGNAL FRIENDLY
HIGH HEAT REJECTION - PS SCRATCH RESISTANT
LIFETIME & COLOR WARRANTY

| Thickness (Mil)             |              | 1.5 |
|-----------------------------|--------------|-----|
| Ply                         |              | 2   |
| Visible Light Transmittance |              | 21% |
| Visible Light Reflectance   | INT: 8% EXT: | 19% |
| Glare Reduction             |              | 76% |
| UV Rejection                |              | 99% |
| INFRARED (IR) REJECTION     | J*           | 69% |
| Total Solar Energy Rejected |              | 58% |

\* = % Selective IR Rejection (SIRR).

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



# **TITANIUM IR - 30**

#### **METALLIZED / DYED 68% IR\* INFRARED REJECTIONS FILMS**

METALLIZED DYED FILM - BLACK COLOR - SIGNAL FRIENDLY HIGH HEAT REJECTION - PS SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             |              | 1.5 |
|-----------------------------|--------------|-----|
| Ply                         |              | 2   |
| Visible Light Transmittance |              | 29% |
| Visible Light Reflectance   | INT: 8% EXT: | 18% |
| Glare Reduction             |              | 68% |
| UV Rejection                |              | 99% |
| INFRARED (IR) REJECTION     | J*           | 68% |
| Total Solar Energy Rejected |              | 57% |

\* = % Selective IR Rejection (SIRR).

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



### High Quality - Cool Performance

#### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

2 DAY



ALASKA

HAWAII





#### WORLDWIDE DELIVERY **BUSINESS DAYS IN TRANSIT**

I DAY 2 DAY 3 to 4 DAYS 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 001 305 608 5976



# XXDOS EQUIS POLYESTER DYED FILMS

**PS - SCRATCH RESISTANT** 

High Quality - Cool Performance



• www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms

SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

**©** 001 305 608 5976



- Polyester Dyed Technology Film, 1 MIL.
- Nonmetal, Non reflective.
- Black color in 3, 20, 35, 40 & 50%.
- Made with infusion technology.
- · 2 stage UV Inhibitors for more fade resistance.
- Blocks 99% of the harmful UV rays.
- Total Solar Energy Rejection (TSER) up to 46%.
- Clear Communications, Signal-friendly for phone, GPS, and other devices.
- · Optically Clear visibility. No hazy or foggy effects.
- Improves comfort by reducing heat.
- Reduces glare and fading of vehicle's interior.

High Quality - Cool Performance



POLYESTER DYED TECHNOLOGY - NON REFLECTIVE - BLACK COLOR SIGNAL FRIENDLY - GOOD HEAT REJECTION - PS SCRATCH RESISTANT

| XX DOS EQUIS | 3  | 1MIL   1PLY | PS SRC |
|--------------|----|-------------|--------|
| XX DOS EQUIS | 20 | 1MIL   1PLY | PS SRC |
| XX DOS EQUIS | 35 | 1MIL   1PLY | PS SRC |
| XX DOS EQUIS | 42 | 1MIL   1PLY | PS SRC |
| XX DOS EQUIS | 50 | 1MIL   1PLY | PS SRC |



#### **POLYESTER DYED FILMS - NON METAL**

POLYESTER DYED TECHNOLOGY - NON REFLECTIVE BLACK COLOR - SIGNAL FRIENDLY GOOD HEAT REJECTION - PS SCRATCH RESISTANT

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 3%  |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 95% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 46% |



#### **POLYESTER DYED FILMS - NON METAL**

POLYESTER DYED TECHNOLOGY - NON REFLECTIVE BLACK COLOR - SIGNAL FRIENDLY GOOD HEAT REJECTION - PS SCRATCH RESISTANT

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 21% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 77% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 38% |



#### **POLYESTER DYED FILMS - NON METAL**

POLYESTER DYED TECHNOLOGY - NON REFLECTIVE BLACK COLOR - SIGNAL FRIENDLY GOOD HEAT REJECTION - PS SCRATCH RESISTANT

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 35% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 62% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 35% |



#### **POLYESTER DYED FILMS - NON METAL**

POLYESTER DYED TECHNOLOGY - NON REFLECTIVE BLACK COLOR - SIGNAL FRIENDLY GOOD HEAT REJECTION - PS SCRATCH RESISTANT

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 43% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 56% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 32% |



## **XX DOS EQUIS - 50**

#### **POLYESTER DYED FILMS - NON METAL**

POLYESTER DYED TECHNOLOGY - NON REFLECTIVE BLACK COLOR - SIGNAL FRIENDLY GOOD HEAT REJECTION - PS SCRATCH RESISTANT

| Thickness (Mil)             | 1   |
|-----------------------------|-----|
| Ply                         | 1   |
| Visible Light Transmittance | 51% |
| Visible Light Reflectance   | 6%  |
| Glare Reduction             | 47% |
| UV Rejection                | 99% |
| Total Solar Energy Rejected | 27% |

High Quality - Cool Performance www.xsunfilms.com



## High Quality - Cool Performance

#### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

2 DAY



ALASKA

HAWAII





#### WORLDWIDE DELIVERY **BUSINESS DAYS IN TRANSIT**

I DAY 2 DAY 3 to 4 DAYS 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 001 305 608 5976



High Quality - Cool Performance



# WINDSHIELD PROTECTION FILMS SOLAR & GLASS PROTECTION





sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

**o** xsunfilms



**O** SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

Fax: 001 305 418 9827

© 001 305 608 5976



#### WINDSHIELD SOLAR PROTECTION FILMS - INTERIOR

- Windshield Solar Protection Films Interior.
- Nano ceramic, nonmetal, non reflective & light reflective films.
- Rejects up to 85%\* infrared heat carrying sun rays.
- . In light Blue, Black, Neutral Shades.
- CX IR 70, 80 Blur, MXP IR 70, 80 & Super Kool 7070 films.
- Outstanding optical clarity.
- High Total Solar Energy Rejection (TSER) of up to 46%.
- Blocks up to 99% of harmful UV rays.
- · Color stable, Non-Fade films.

#### **CLEAR X WINDSHIELD PROTECTION - EXTERIOR**

- 4 mil Clear X and 4 mil Clear Pro 9H window shield protection films.
- Protects from cracks, chips pitting, and bull's eyes in windshields.
- Optically clear seems like glass.
- · Keeps windshield intact.
- Protects against 99% of the sun's harmful UV rays, rain and snow runs off easily, resulting in better visibility.
- No bubble, peel, crack, or yellow while under warranty.

\* = % Selective IR Rejection (SIRR).

#### www.xsunfilms.com



## WINDSHIELD PROTECTION FILMS

#### INTERIOR NANO CERAMIC SOLAR PROTECTION

PS - SCRATCH RESISTANT LIFETIME & COLOR STABLE WARRANTY

| IR REJECTIONS" |                   |             |                 |          |
|----------------|-------------------|-------------|-----------------|----------|
|                | CX IR - 70 BLACK  | <i>85</i> % | 1.5 MIL   2 PLY | PS - SRC |
|                | CX IR - 80 BLUE   | 84%         | 1.5 MIL   2 PLY | PS - SRC |
|                | MXP IR - 70 BLACK | 79%         | 1.5 MIL   2 PLY | PS - SRC |
|                | MXP IR - 80 BLACK | 74%         | 1.5 MIL   2 PLY | PS - SRC |

SUPER KOOL IR 70 - 70 79% 1.5 MIL | 2 PLY PS - SRC

\* = % Selective IR Rejection (SIRR).



#### EXTERIOR CLEAR WINDSHIELD PROTECTION

PS - SCRATCH RESISTANT

CLEAR X 4 MIL EXTERIOR PS - SRC
CLEAR X PRO 4 MIL 9H EXTERIOR FILMS PS - SRC

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA





## CX IR - 70 BLACK

## WINDSHIELD SOLAR PROTECTION INTERIOR FILMS NANO CERAMIC XTREME 85% IR\* REJECTION FILMS

NANO CERAMIC - NON METAL - EXTREME IR REJECTION
TRUE BLACK COLOR - PS - SCRATCH RESISTANT
COLOR STABLE - LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 71% |
| Visible Light Reflectance   | 8%  |
| Glare Reduction             | 20% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 85% |
| Total Solar Energy Rejected | 46% |

\* = % Selective IR Rejection (SIRR).

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA





## **CX IR - 80**

## WINDSHIELD SOLAR PROTECTION INTERIOR FILMS NANO CERAMIC XTREME 84% IR\* REJECTION FILMS

NANO CERAMIC - NON METAL - EXTREME IR REJECTION LIGHT BLUE - PS - SCRATCH RESISTANT COLOR STABLE - LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 78% |
| Visible Light Reflectance   | 8%  |
| Glare Reduction             | 13% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 84% |
| Total Solar Energy Rejected | 42% |

\* = % Selective IR Rejection (SIRR).

#### High Quality - Cool Performance www.xsunfilms.com

#### MADE IN USA





# **MXP IR - 70 BLACK**

WINDSHIELD SOLAR PROTECTION INTERIOR FILMS NANO HYBRID CERAMIC 79% IR\* REJECTION FILMS

NANO HYBRID CERAMIC - NON METAL RICH BLACK COLOR - PS - SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 63% |
| Visible Light Reflectance   | 8%  |
| Glare Reduction             | 30% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 79% |
| Total Solar Energy Rejected | 44% |

\* = % Selective IR Rejection (SIRR).

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



# **MXP IR - 80 BLACK**

WINDSHIELD SOLAR PROTECTION INTERIOR FILMS
NANO HYBRID CERAMIC 74% IR\* REJECTION FILMS

NANO HYBRID CERAMIC - NON METAL RICH BLACK COLOR - PS - SCRATCH RESISTANT LIFETIME & COLOR WARRANTY

| Thickness (Mil)             | 1.5 |
|-----------------------------|-----|
| Ply                         | 2   |
| Visible Light Transmittance | 75% |
| Visible Light Reflectance   | 9%  |
| Glare Reduction             | 16% |
| UV Rejection                | 99% |
| INFRARED (IR) REJECTION*    | 74% |
| Total Solar Energy Rejected | 40% |

\* = % Selective IR Rejection (SIRR).

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA





# **SUPER KOOL IR - 7070**

## WINDSHIELD SOLAR PROTECTION INTERIOR FILMS 79% IR\* REJECTION FILMS - PS SCRATCH RESISTANT

| Thickness (Mil)             | 1.5               |
|-----------------------------|-------------------|
| Ply                         | 2                 |
| Visible Light Transmittance | 72%               |
| Visible Light Reflectance   | Int 13% - Ext 14% |
| Solar Transmitance          | 42%               |
| Solar Reflectance           | 21%               |
| Solar Absorbance            | 37%               |
| U-Value                     | 0.97              |
| Shading Coefficient         | 0.61              |
| INFRARED (IR) REJECTION     | 79%               |
| Glare Reduction             | 20%               |
| UV Rejection                | 99%               |
| Total Solar Energy Rejected | 40%               |

\* = % Selective IR Rejection (SIRR).

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA





# WINDSHIELD PROTECTION FILMS CLEAR X 4 MIL EXTERIOR PS SRC

|  | Visible Light Transmittance | 86%             |
|--|-----------------------------|-----------------|
|  | Visible Light Reflectance   | INT: 9% EXT: 9% |
|  | Solar Transmittance         | 74%             |
|  | Solar Reflectance           | 9%              |
|  | Solar Absorbance            | 13%             |
|  | U-VALUE                     | 1.09            |
|  | Shading Coefficient         | 0.92            |
|  | Ultraviolet Reject          | 99%             |
|  | Total Solar Energy Rejected | 19%             |

#### PHYSICAL PROPERTIES

| Tesile Strength (ib/Sq. Inch)   | 34,900 psi   |
|---------------------------------|--------------|
| Break Strength (ib/Sq. Inch)    | 136          |
| % Elongation                    | >100         |
| Peel Strength (ib/Sq. Inch)     | >2750 g/inch |
| Puncture Strenght (ib/Sq. Inch) | 93 lbs       |

#### High Quality - Cool Performance www.xsunfilms.com

MADE IN USA





# WINDSHIELD PROTECTION FILMS CLEAR X PRO 4 MIL EXTERIOR

9H (HARDER THAN GLASS) - PS SRC

| Visible Light Transmittance | 87%   |
|-----------------------------|-------|
| Visible Light Reflectance   | 5%    |
| Solar Transmittance         | 82%   |
| Solar Reflectance           | 10%   |
| Solar Absorbance            | 8%    |
| Shading Coefficient         | 0.97% |
| Ultraviolet Reject          | 99%   |
| Total Solar Energy Rejected | 20%   |

#### PHYSICAL PROPERTIES

| Tesile Strength (ib/Sq. Inch) | 32,000 psi             |
|-------------------------------|------------------------|
| Break Strength (ib/Sq. Inch)  | 100                    |
| Peel Strength (ib/Sq. Inch)   | 3.5 to 4.5             |
| Puncture Strenght (ib/Sq. Inc | h) 79 lbs              |
| Abrasion Resistance           | 0.3 to 0.5 Delta Haze  |
| Infrared Surface Blockers     | 15 to 20%              |
| Pencil Hardness               | 9H (Harder than glass) |

# High Quality - Cool Performance www.xsunfilms.com

MADE IN USA



## High Quality - Cool Performance

#### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

2 DAY



ALASKA

HAWAII





#### WORLDWIDE DELIVERY **BUSINESS DAYS IN TRANSIT**

IDAY 2 DAY 3 to 4 DAYS 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES

#### SHOP ONLINE

www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

> Fax: 001 305 418 9827 001 305 608 5976



## **COLORED FILMS**

ENHANCE THE COLORFUL APPEARANCE OF THE GLASS - BLOCKS HEAT - UV PROTECTION

High Quality - Cool Performance



• www.xsunfilms.com sales@xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA

xsunfilms

SCAN TO VIEW ALL ONLINE CATALOGS

1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701 Fax: 001 305 418 9827

**9** 001 305 608 5976

## **COLORED FILMS**

- High Performance Dyed Metalized and Nonmetal Dyed films.
- High Performance HP Blue 35 & HP 50 Mercedes Blue shade.
- Red, Blue, Green & Yellow 1 mil 1 ply colors.
- Enhances the colorful appearance of the glass.
- Blocks up to 99% harmful UV rays, preventing overexposure.
- Total solar Energy Rejection up to 49%.
- Optically Clear visibility. No hazy or foggy effects.
- . Clear Communication, Signal- friendly for GPS, Phone and other devices.
- Elegant style, Cooler Interiors.
- Reduces Glare, Enhancing visibility & Reducing eyestrain.
- Helps protect interiors from fading.
- Lifetime warranty for HP Blue 35 & HP 50.

#### www.xsunfilms.com



### **COLORED FILMS**

PS - SCRATCH RESISTANT

ENHANCE THE COLORFUL APPEARANCE OF THE GLASS - BLOCKS HEAT - UV PROTECTION

| HP BLUE 35 | DYED METALIZED | 1.5 MIL | PS SRC |
|------------|----------------|---------|--------|
| HP BLUE 50 | DYED METALIZED | 1.5 MIL | PS SRC |
| BLUE 30    | NON-METAL      | 1 MIL   | PS SRC |
| RED 25     | NON-METAL      | 1 MIL   | PS SRC |
| GREEN 35   | NON-METAL      | 1 MIL   | PS SRC |
| YELLOW 84  | NON-METAL      | 1 MIL   | PS SRC |

# High Quality - Cool Performance www.xsunfilms.com

www.xsuntilms.com

## **HIGH PERFOMANCE HP BLUE - 35**

#### DYED / METALIZED - PS SCRATCH RESISTANT

# ENHANCE THE COLORFUL APPEARANCE OF THE GLASS - BLOCKS HEAT - UV PROTECTION

| Thickness (Mil)             | 1.5   |
|-----------------------------|-------|
| Ply                         | 2     |
| Visible Light Transmittance | 35%   |
| Visible Light Reflectance   | 7%    |
| Glare Reduction             | 60%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 49%   |

High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **HIGH PERFOMANCE HP BLUE - 50**

#### DYED / METALIZED - PS SCRATCH RESISTANT

# ENHANCE THE COLORFUL APPEARANCE OF THE GLASS - BLOCKS HEAT - UV PROTECTION

| Thickness (Mil)             | 1.5   |
|-----------------------------|-------|
| Ply                         | 2     |
| Visible Light Transmittance | 54%   |
| Visible Light Reflectance   | 9%    |
| Glare Reduction             | 39%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 39%   |

High Quality - Cool Performance www.xsunfilms.com

MADE IN USA

## **BLUE - 30**

#### **DYED / NON-METAL - PS SCRATCH RESISTANT**

# ENHANCE THE COLORFUL APPEARANCE OF THE GLASS - BLOCKS HEAT - UV PROTECTION

| Thickness (Mil)             | 1     |
|-----------------------------|-------|
| Ply                         | 1     |
| Visible Light Transmittance | 28%   |
| Visible Light Reflectance   | 8%    |
| Glare Reduction             | 65%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 46%   |

High Quality - Cool Performance www.xsunfilms.com

## **RED - 25**

#### **DYED / NON-METAL - PS SCRATCH RESISTANT**

# ENHANCE THE COLORFUL APPEARANCE OF THE GLASS - BLOCKS HEAT - UV PROTECTION

| Thickness (Mil)             | 1     |
|-----------------------------|-------|
| Ply                         | 1     |
| Visible Light Transmittance | 25%   |
| Visible Light Reflectance   | 8%    |
| Glare Reduction             | 69%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 38%   |

High Quality - Cool Performance www.xsunfilms.com

## **GREEN - 35**

#### **DYED / NON-METAL - PS SCRATCH RESISTANT**

# ENHANCE THE COLORFUL APPEARANCE OF THE GLASS - BLOCKS HEAT - UV PROTECTION

| Thickness (Mil)             | 1     |
|-----------------------------|-------|
| Ply                         | 1     |
| Visible Light Transmittance | 35%   |
| Visible Light Reflectance   | 8%    |
| Glare Reduction             | 60%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 35%   |

High Quality - Cool Performance www.xsunfilms.com MADE IN USA

## **YELLOW - 84**

#### **DYED / NON-METAL - PS SCRATCH RESISTANT**

# ENHANCE THE COLORFUL APPEARANCE OF THE GLASS - BLOCKS HEAT - UV PROTECTION

| Thickness (Mil)             | 1     |
|-----------------------------|-------|
| Ply                         | 1     |
| Visible Light Transmittance | 84%   |
| Visible Light Reflectance   | 9%    |
| Glare Reduction             | 12%   |
| UV Rejection                | 99%±1 |
| Total Solar Energy Rejected | 25%   |

High Quality - Cool Performance www.xsunfilms.com



## High Quality - Cool Performance

#### **DELIVERY IN USA**

BUSINESS DAYS IN TRANSIT

1 DA

2 DAY



ALASKA

HAWAII





## WORLDWIDE DELIVERY BUSINESS DAYS IN TRANSIT

■ 1 DAY ■ 2 DAY ■ 3 to 4 DAYS ■ 3 to 5 DAYS



- AUTOMOTIVE FILMS
- NANO CERAMIC IR FILMS
- PAINT PROTECTION FILMS
- DOOR EDGE GUARD FILMS
- WINDSHIELD PROTECTION FILMS
- AUTO SAFETY FILMS
- COLORED FILMS
- CAR WRAP FILMS
- HOME & COMMERCIAL FILMS
- ONE WAY MIRROR / NIGHT VIEW FILMS
- SUPER KOOL IR CLEAR VIEW FILMS
- SAFETY & SECURITY FILMS
- ANTI GRAFFTI FILMS
- UV CLEAR FILMS
- PRIVACY FILMS
- DECORATIVE FILMS
- TINT TOOLS ACCESSORIES



#### SHOP ONLINE

www.xsunfilms.com

3381 NW 97th Ave MIAMI, FLORIDA - 33172, USA 1 877 XSUN XSUN: 1 877 978 6 978 Phone Int'l: 001 305 418 9701

Fax: 001 305 418 9827